



LogServer



Your all-in-one solution for recording, monitoring, sharing, and archiving media content with full compliance.

Trusted by over 35,000 TV channels in more than 70 countries worldwide.

:mediaproxy
The Global Standard for Compliance

DEPLOYMENT



Cloud



Virtual



On premise

SUPPORTED TECHNOLOGIES

4K HDR	SMPTE 2110 SMPTE 2022-6	OTT Zixi SRT HTTPS	MPEG4 HEVC JPEG-XS	Dolby AC-3 Dolby E-AC3 + Dolby AC-4 Dolby Atmos Dolby E
HD	NDI TSoIP SDI			
SD				


THE MEDIAPROXY DIFFERENCE

- Driving Innovation Since 2001 •
- Engineering Excellence You Can Trust
- Around-the-Clock Global Support, 24h/24, 7j/7

LOGSERVER

The Heart of the Platform

- Multiple Inputs
- Multi-Profile Proxy and Native TS Recording
- Detection : Blacks, Freezes, Silences
- Program Divergence Detection




- SCTE-35/104 and ETR290 P1/P2/P3 Analysis
- Multichannel Loudness with Automated Reporting
- Audio Fingerprinting (NAVE/SNAP/Nielsen)
- Dolby Audio Monitoring
 - Full support for Dolby codecs: AC-3, Dolby Digital Plus (E-AC3), and Dolby AC-4
 - Support for the Dolby Atmos immersive audio format
 - Monitoring and analysis of audio objects and multichannel configurations
 - Dolby-approved decoding
- API, Automated Workflows, Dataminer

OTT MONITORING

- HLS / DASH / Smooth Streaming
- Monitoring of Encrypted and Unencrypted Streams
- Ad Insertion Error Detection (SCTE-35)
- Bitrate and Manifest Control

INTEGRATED SOFTWARE SURVEILLANCE WITH WFM

- Parade RGB
- Vectorscope
- WFM Luminance
- / Parade YUV



LOGPLAYER

Advanced HTML5 Interface

- Segment-Based Loudness Reporting
- Video/Audio Fingerprint Matching
- Direct Social Media Publishing
- Extraction and Transcoding (H.264, H.265, etc.)
- Synchronized or Independent Multichannel Playback
- Search Within Subtitles and Metadata




MONWALL

Software-Based IP Multi-Viewer

- Interactive client application or traditional mosaic outputs
- Low-Latency Monitoring
- Interactive mosaics
- WEB content (HTML)

TS ANALYZER



- ETR290 & Subtitle monitoring
- PID Bitrate & Error Display

KEY FEATURES

- Native (TS) and proxy recording
- Unlimited number of users
- Regulatory compliance monitoring
- Automated MAM workflows
- Loudness compliance reporting
- Proactive fault detection
- Multi-platform publishing



VISIONETICS INTERNATIONAL

58 Rue Gambetta
92240 Malakoff
FRANCE

+33 (0)1 82 15 15 18
mediaproxy@visionetics.fr
www.visionetics.fr

www.mediaproxy.com